

PRICELIST JEFA STEERING 2018

Valid up until 30-9-2018

STEERING WHEELS

Part No.	Description	Price in Euro
Standard single spoke stainless steel steering wheels fully polished		
WHS0600P	Standard wheel 600 mm, polished rim	355
WHS0700P	Standard wheel 700 mm, polished rim	361
WHS0800P	Standard wheel 800 mm, polished rim	373
WHS0850P	Standard wheel 850 mm, polished rim	400
WHS0900P	Standard wheel 900 mm, polished rim	411
WHS1000P	Standard wheel 1000 mm, polished rim	457
WHS1100P	Standard wheel 1100 mm, polished rim	545
WHS1200P	Standard wheel 1200 mm, polished rim	581
Standard single spoke stainless steel steering wheels with leather cover		
WHS0600L	Standard wheel 600 mm with leather cover	502
WHS0700L	Standard wheel 700 mm with leather cover	528
WHS0800L	Standard wheel 800 mm with leather cover	559
WHS0850L	Standard wheel 850 mm with leather cover	581
WHS0900L	Standard wheel 900 mm with leather cover	592
WHS1000L	Standard wheel 1000 mm with leather cover	635
WHS1100L	Standard wheel 1100 mm with leather cover	748
WHS1200L	Standard wheel 1200 mm with leather cover	810
Tandem spoke stainless steel steering wheels fully polished		
WHT0900P	Tandem wheel 900 mm, polished rim	658
WHT1000P	Tandem wheel 1000 mm, polished rim	683
WHT1100P	Tandem wheel 1100 mm, polished rim	734
WHT1200P	Tandem wheel 1200 mm, polished rim	798
WHT1300P	Tandem wheel 1300 mm, polished rim	874
WHT1400P	Tandem wheel 1400 mm, polished rim	965
WHT1500P	Tandem wheel 1500 mm, polished rim	1.025
WHT1600P	Tandem wheel 1600 mm, polished rim	1.108
WHT1700P	Tandem wheel 1700 mm, polished rim	1.191
WHT1800P	Tandem wheel 1800 mm, polished rim	1.312
DISENG	Wheel disengagement unit for WHT wheels	1.094
Tandem spoke stainless steel steering wheels with leather cover		
WHT0900L	Tandem wheel 900 mm with leather cover	874
WHT1000L	Tandem wheel 1000 mm with leather cover	912
WHT1100L	Tandem wheel 1100 mm with leather cover	954
WHT1200L	Tandem wheel 1200 mm with leather cover	1.030
WHT1300L	Tandem wheel 1300 mm with leather cover	1.145
WHT1400L	Tandem wheel 1400 mm with leather cover	1.230
WHT1500L	Tandem wheel 1500 mm with leather cover	1.276
WHT1600L	Tandem wheel 1600 mm with leather cover	1.325
WHT1700L	Tandem wheel 1700 mm with leather cover	1.392
WHT1800L	Tandem wheel 1800 mm with leather cover	1.482
DISENG	Wheel disengagement unit for WHT wheels	1.094
Aluminium steering wheels with leather cover, black or white		
WHS0700A	Single spoke aluminium wheel 700 mm with leather cover	711
WHS0800A	Single spoke aluminium wheel 800 mm with leather cover	757
WHS0900A	Single spoke aluminium wheel 900 mm with leather cover	799
WHS1000A	Single spoke aluminium wheel 1000 mm with leather cover	873
WHT1000A	Tandem spoke aluminium wheel 1000 mm with leather cover	1.206
WHT1100A	Tandem spoke aluminium wheel 1100 mm with leather cover	1.206
WHT1200A	Tandem spoke aluminium wheel 1200 mm with leather cover	1.310
WHT1300A	Tandem spoke aluminium wheel 1300 mm with leather cover	1.450
WHT1400A	Tandem spoke aluminium wheel 1400 mm with leather cover	1.556
WHT1500A	Tandem spoke aluminium wheel 1500 mm with leather cover	1.615
WHT1600A	Tandem spoke aluminium wheel 1600 mm with leather cover	1.680
WHT1700A	Tandem spoke aluminium wheel 1700 mm with leather cover	1.763
WHT1800A	Tandem spoke aluminium wheel 1800 mm with leather cover	1.880

Part No.	Description	Price in Euro
Leather accessories		
WL25	Leather for Ø25 mm rim per metre	28
WL-SPOK	Leather cover mounted on spoke, price per (tandem) spoke	33
Jefa wheel covers		
WC0900	Wheel cover for Ø900 mm steering wheel	87
WC1000	Wheel cover for Ø1000 mm steering wheel	95
WC1100	Wheel cover for Ø1100 mm steering wheel	104
GRP steering wheels		
WHCG0900B	Black GRP wheel 900 mm	891
WHCG0900W	White GRP wheel 900 mm	891
WHCG1000B	Black GRP wheel 1000 mm	891
WHCG1000W	White GRP wheel 1000 mm	891
Carbon steering wheels		
WHC0900	Carbon wheel 900 mm	2.210
WHC1000	Carbon wheel 1000 mm	2.275
WHC1100	Carbon wheel 1100 mm	2.328
WHC1700	Carbon wheel 1700 mm	4.633
WHC1900	Carbon wheel 1900 mm	5.021
DISENGC	Wheel disengagement unit for carbon wheels	1.094
Teak rimmed single spoke stainless steel steering wheels fully polished		
WHS0700W	Teak rimmed wheel 700 mm	935
WHS0800W	Teak rimmed wheel 800 mm	975
WHS0900W	Teak rimmed wheel 900 mm	1.060
WHS1000W	Teak rimmed wheel 1000 mm	1.093
WHS1100W	Teak rimmed wheel 1100 mm	1.318
Teak rimmed tandem spoke stainless steel steering wheels fully polished		
WHT0900W	Teak rimmed tandem wheel 900 mm	1.240
WHT1000W	Teak rimmed tandem wheel 1000 mm	1.348
WHT1100W	Teak rimmed tandem wheel 1100 mm	1.556
WHT1200W	Teak rimmed tandem wheel 1200 mm	1.720
Cone adapter for hydraulic pumps		
WHSADAP	Adapter petit cone - 8,28 degr.	27
Quick release steering wheel nuts		
NQS58	Quick release wheel nut for standard wheels	58
NQT58	Quick release wheel nut for tandem and carbon wheels	58
CABLE STEERING		
WP100 cable steering pedestals and accessories		
WP100-63	WP100 pedestal with 5/8" 11 t., guardrail, binnacle, 630 mm high	1.288
WP100-71	WP100 pedestal with 5/8" 11 t., guardrail, binnacle, 710 mm high	1.288
WP100-80	WP100 pedestal with 5/8" 11 t., guardrail, binnacle, 800 mm high	1.288
WP101-63	WP100 pedestal with 5/8" 13 t., guardrail, binnacle, 630 mm high	1.288
WP101-71	WP100 pedestal with 5/8" 13 t., guardrail, binnacle, 710 mm high	1.288
WP101-80	WP100 pedestal with 5/8" 13 t., guardrail, binnacle, 800 mm high	1.288
WP102-63	WP100 pedestal with 5/8" 15 t., guardrail, binnacle, 630 mm high	1.288
WP102-71	WP100 pedestal with 5/8" 15 t., guardrail, binnacle, 710 mm high	1.288
WP102-80	WP100 pedestal with 5/8" 15 t., guardrail, binnacle, 800 mm high	1.288
CP100	WP100 conduit plate	77
WP150 cable steering pedestals and accessories		
WP150-63	WP150 pedestal with 5/8" 11 t., guardrail, binnacle, 630 mm high	1.288
WP150-71	WP150 pedestal with 5/8" 11 t., guardrail, binnacle, 710 mm high	1.288
WP150-80	WP150 pedestal with 5/8" 11 t., guardrail, binnacle, 800 mm high	1.288
WP151-63	WP150 pedestal with 5/8" 13 t., guardrail, binnacle, 630 mm high	1.288
WP151-71	WP150 pedestal with 5/8" 13 t., guardrail, binnacle, 710 mm high	1.288
WP151-80	WP150 pedestal with 5/8" 13 t., guardrail, binnacle, 800 mm high	1.288
WP152-63	WP150 pedestal with 5/8" 15 t., guardrail, binnacle, 630 mm high	1.288
WP152-71	WP150 pedestal with 5/8" 15 t., guardrail, binnacle, 710 mm high	1.288
WP152-80	WP150 pedestal with 5/8" 15 t., guardrail, binnacle, 800 mm high	1.288

Part No.	Description	Price in Euro
HD150-3	Surcharge for 150 type HD3 large pedestal head	226
CP150	WP150 conduit plate	77
WP200 cable steering pedestals and accessories		
WP200-63	WP200 cable steering pedestal with 5/8" 11 teeth sprocket, 630 mm high	1.674
WP200-71	WP200 cable steering pedestal with 5/8" 11 teeth sprocket, 710 mm high	1.674
WP200-80	WP200 cable steering pedestal with 5/8" 11 teeth sprocket, 800 mm high	1.674
WP201-63	WP200 cable steering pedestal with 5/8" 13 teeth sprocket, 630 mm high	1.674
WP201-71	WP200 cable steering pedestal with 5/8" 13 teeth sprocket, 710 mm high	1.674
WP201-80	WP200 cable steering pedestal with 5/8" 13 teeth sprocket, 800 mm high	1.674
WP202-63	WP200 cable steering pedestal with 5/8" 15 teeth sprocket, 630 mm high	1.674
WP202-71	WP200 cable steering pedestal with 5/8" 15 teeth sprocket, 710 mm high	1.674
WP202-80	WP200 cable steering pedestal with 5/8" 15 teeth sprocket, 800 mm high	1.674
CP200	WP200 conduit plate	77
WP300 cable steering pedestals and accessories		
WP300-63	WP300 cable steering pedestal with 5/8" 11 teeth sprocket, 630 mm high	1.674
WP300-71	WP300 cable steering pedestal with 5/8" 11 teeth sprocket, 710 mm high	1.674
WP300-80	WP300 cable steering pedestal with 5/8" 11 teeth sprocket, 800 mm high	1.674
WP301-63	WP300 cable steering pedestal with 5/8" 13 teeth sprocket, 630 mm high	1.674
WP301-71	WP300 cable steering pedestal with 5/8" 13 teeth sprocket, 710 mm high	1.674
WP301-80	WP300 cable steering pedestal with 5/8" 13 teeth sprocket, 800 mm high	1.674
WP302-63	WP300 cable steering pedestal with 5/8" 15 teeth sprocket, 630 mm high	1.674
WP302-71	WP300 cable steering pedestal with 5/8" 15 teeth sprocket, 710 mm high	1.674
WP302-80	WP300 cable steering pedestal with 5/8" 15 teeth sprocket, 800 mm high	1.674
CP300	WP300 conduit plate	77
WP400 cable steering pedestals and accessories		
WP400-63	WP400 cable steering pedestal with 5/8" 11 teeth sprocket, 630 mm high	1.803
WP400-71	WP400 cable steering pedestal with 5/8" 11 teeth sprocket, 710 mm high	1.803
WP400-80	WP400 cable steering pedestal with 5/8" 11 teeth sprocket, 800 mm high	1.803
WP401-63	WP400 cable steering pedestal with 5/8" 13 teeth sprocket, 630 mm high	1.803
WP401-71	WP400 cable steering pedestal with 5/8" 13 teeth sprocket, 710 mm high	1.803
WP401-80	WP400 cable steering pedestal with 5/8" 13 teeth sprocket, 800 mm high	1.803
WP402-63	WP400 cable steering pedestal with 5/8" 15 teeth sprocket, 630 mm high	1.803
WP402-71	WP400 cable steering pedestal with 5/8" 15 teeth sprocket, 710 mm high	1.803
WP402-80	WP400 cable steering pedestal with 5/8" 15 teeth sprocket, 800 mm high	1.803
CP400	WP400 conduit plate	77
WP700 racing pedestals		
WP700-11	WP700 racing pedestal with 11 teeth 5/8" st.st. sprocket	1.611
WP700-13	WP700 racing pedestal with 13 teeth 5/8" st.st. sprocket	1.611
WP700-15	WP700 racing pedestal with 15 teeth 5/8" st.st. sprocket	1.611
WP700-17	WP700 racing pedestal with 17 teeth 5/8" st.st. sprocket	1.611
WP710 racing pedestals		
WP710-11	WP710 racing pedestal with 11 teeth 5/8" st.st. sprocket	1.611
WP710-13	WP710 racing pedestal with 13 teeth 5/8" st.st. sprocket	1.611
WP710-15	WP710 racing pedestal with 15 teeth 5/8" st.st. sprocket	1.611
WP800 racing pedestals		
WP800-11	WP800 racing pedestal with 11 teeth 5/8" st.st. sprocket	1.611
WP800-13	WP800 racing pedestal with 13 teeth 5/8" st.st. sprocket	1.611
WP800-15	WP800 racing pedestal with 15 teeth 5/8" st.st. sprocket	1.611
WP800-17	WP800 racing pedestal with 17 teeth 5/8" st.st. sprocket	1.611
WP800-GL	WP800 guardrail, incl. bracket and guardrail feet	353
INST-BIN	Binnacle house for WP800/850	165
WS-DIS	Disengagement unit integrated in steerer/pedestal	311
WP850 A-Frame pedestals		
WP850-11	WP850 A-Frame pedestal with 11 teeth 5/8" st.st. sprocket	1.634
WP850-13	WP850 A-Frame pedestal with 13 teeth 5/8" st.st. sprocket	1.634
WP850-15	WP850 A-Frame pedestal with 15 teeth 5/8" st.st. sprocket	1.634
WP850-17	WP850 A-Frame pedestal with 17 teeth 5/8" st.st. sprocket	1.634
WP850-ID1	WP850 idler set with 100 mm delrin sheaves	333
WP850-ID2	WP850 idler set with 140 mm delrin sheaves	400

Part No.	Description	Price in Euro
INST-BIN	Binnacle house for WP800/850	165
WP850-GL	WP850 guardrail - aluminium welded with leather cover	282
WP850-GLE	WP850 extended guardrail, incl. bracket and guardrail feet	353
WS-DIS	Disengagement unit integrated in steerer/pedestal	311
WP900 swinging pedestals		
WP900-11	WP900 swing pedestal with 11 teeth 5/8" st.st. sprocket	2.704
WP900-13	WP900 swing pedestal with 13 teeth 5/8" st.st. sprocket	2.704
WP900-15	WP900 swing pedestal with 15 teeth 5/8" st.st. sprocket	2.704
WP900-17	WP900 swing pedestal with 17 teeth 5/8" st.st. sprocket	2.704
WS-DIS	Disengagement unit integrated in steerer/pedestal	311
BS20 bulkhead steerers with 25 mm taper		
BS20-11	BS20 bulkhead steerer with 11 teeth 5/8" st.st. sprocket	387
BS20-13	BS20 bulkhead steerer with 13 teeth 5/8" st.st. sprocket	400
BS20-SUP	Support bearing for BS20 bulkhead steerer	106
BS25 bulkhead steerers with 25 mm taper		
BS25-11	BS25 bulkhead steerer with 11 teeth 5/8" st.st. sprocket	425
BS25-13	BS25 bulkhead steerer with 13 teeth 5/8" st.st. sprocket	438
BS25-15	BS25 bulkhead steerer with 15 teeth 5/8" st.st. sprocket	438
BS25-17	BS25 bulkhead steerer with 17 teeth 5/8" st.st. sprocket	438
BS25-SUP	Support bearing for BS25 bulkhead steerer	106
WS-DIS	Disengagement unit integrated in steerer/pedestal	311
BS30 bulkhead steerers with 25 mm taper (for 30 mm taper please add /T30 to part no.)		
BS30-11	BS30 bulkhead steerer with 11 teeth 5/8" st.st. sprocket	645
BS30-13	BS30 bulkhead steerer with 13 teeth 5/8" st.st. sprocket	668
BS30-15	BS30 bulkhead steerer with 15 teeth 5/8" st.st. sprocket	668
BS30-17	BS30 bulkhead steerer with 17 teeth 5/8" st.st. sprocket	668
BS30-19	BS30 bulkhead steerer with 19 teeth 5/8" st.st. sprocket	668
BS-SUP1	Support bearing for BS30 bulkhead steerer	83
BS60 bulkhead steerers with 25 mm taper		
BS60-11	BS60 bulkhead steerer with 11 teeth 5/8" st.st. sprocket	425
BS60-13	BS60 bulkhead steerer with 13 teeth 5/8" st.st. sprocket	438
BS60-15	BS60 bulkhead steerer with 15 teeth 5/8" st.st. sprocket	438
BS60-17	BS60 bulkhead steerer with 17 teeth 5/8" st.st. sprocket	438
HS25 horizontal steerers with 25 mm taper		
HS25-11	HS25 horizontal steerer with 11 teeth 5/8" st.st. sprocket	387
HS25-13	HS25 horizontal steerer with 13 teeth 5/8" st.st. sprocket	400
SP-SPC	Additional sprocket welded on shaft 11-13 teeth	69
5/8" pitch non-magnetic chain sets including 2 master links and 2 stainless steel links		
CH5850	Chain assembly 5/8", 500 mm long (up until 200 mm rad. quad.)	86
CH5860	Chain assembly 5/8", 600 mm long (up until 300 mm rad. quad.)	96
CH5880	Chain assembly 5/8", 800 mm long (up until 400 mm rad. quad.)	120
CH58100	Chain assembly 5/8", 1000 mm long (up until 500 mm rad. quad.)	138
CH5800	5/8" non-magnetic stainless steel chain per meter	102
CHLNK	5/8" stainless steel master link	6
Stainless steel 7 x 19 steering cables including 2 swages with thimble eye		
W5-300	Steering wire 5 mm diameter 3000 mm long	39
W5-600	Steering wire 5 mm diameter 6000 mm long	58
W6-300	Steering wire 6 mm diameter 3000 mm long	42
W6-600	Steering wire 6 mm diameter 6000 mm long	62
W6-1000	Steering wire 6 mm diameter 10 meters long	92
Conduit sheaves, fittings and conduit cable		
CONFIT	Brass conduit fitting	28
CONCAB	16 mm heavy duty conduit cable, price per metre (excl. inner wire)	28
SHC-140D	Self-aligning conduit sheave adapter with 140 mm delrin sheave	238
SH-CF100D	Flat twin conduit sheave adapter with 100 mm delrin sheave	233
Steering Traveller		
TRL100	Steering traveller incl. Ø16mm pins for draglink	740

Part No.	Description	Price in Euro
Tangential terminal units		
TERM-T-100D	Tangential terminal unit with 100 mm delrin sheave	168
TERM-T-140D	Tangential terminal unit with 140 mm delrin sheave	197
Articulated terminal units		
TERM-A-1D	Articulated terminal unit with 100 mm delrin sheaves	411
TERM-A-2D	Articulated terminal unit with 140 mm delrin sheaves	495
Cross wire idlers		
ICW100D	Cross wire idler with 100 mm delrin sheaves	232
ICW100A	Cross wire idler with 100 mm aluminium sheaves with ball bearings	309
ICW140D	Cross wire idler with 140 mm delrin sheaves	288
ICW140A	Cross wire idler with 140 mm aluminium sheaves with ball bearings	411
Parallel wire idlers		
IPW100D	Parallel wire idler with 100 mm delrin sheaves	232
IPW100A	Parallel wire idler with 100 mm aluminium sheaves with ball bearings	309
IPW140D	Parallel wire idler with 140 mm delrin sheaves	288
IPW140A	Parallel wire idler with 140 mm aluminium sheaves with ball bearings	411
Flat sheaves for open wire systems		
SH-F100D	flat sheave assembly with 100 mm delrin sheave	124
SH-F100A	flat sheave assembly with 100 mm aluminium sheave	168
SH-F140D	flat sheave assembly with 140 mm delrin sheave	154
SH-F140A	flat sheave assembly with 140 mm aluminium sheave	207
Articulated sheaves for open wire systems		
SH-A100D	articulated sheave assembly with 100 mm delrin sheave	154
SH-A100A	articulated sheave assembly with 100 mm aluminium sheave	218
SH-A140D	articulated sheave assembly with 140 mm delrin sheave	200
SH-A140A	articulated sheave assembly with 140 mm aluminium sheave	264
Bulkhead sheaves for open wire systems		
SH-BH100D	bulkhead sheave assembly with 100 mm delrin sheave	238
SH-BH100A	bulkhead sheave assembly with 100 mm aluminium sheave	302
SH-BH140D	bulkhead sheave assembly with 140 mm delrin sheave	264
SH-BH140A	bulkhead sheave assembly with 140 mm aluminium sheave	329
Self-aligning bulkhead sheaves for open wire systems		
SH-BHSA100D	s-a bulkhead sheave assembly with 100 mm delrin sheave	238
SH-BHSA100A	s-a bulkhead sheave assembly with 100 mm aluminium sheave	302
SH-BHSA140D	s-a bulkhead sheave assembly with 140 mm delrin sheave	264
SH-BHSA140A	s-a bulkhead sheave assembly with 140 mm aluminium sheave	329
Upright sheaves for open wire systems		
SH-UP100D	upright sheave assembly with 100 mm delrin sheave	154
SH-UP100A	upright sheave assembly with 100 mm aluminium sheave	218
SH-UP140D	upright sheave assembly with 140 mm delrin sheave	200
SH-UP140A	upright sheave assembly with 140 mm aluminium sheave	264
270 degree radial quadrants		
QU1527	radial quadrant R=150, maximum bore size = 75 mm	289
QU2027	radial quadrant R=200, maximum bore size = 100 mm	333
QU2527	radial quadrant R=250, maximum bore size = 100 mm	411
QU3027	radial quadrant R=300, maximum bore size = 125 mm	545
QU3527	radial quadrant R=350, maximum bore size = 125 mm	587
QU4027	radial quadrant R=400, maximum bore size = 150 mm	625
QU4527	radial quadrant R=450, maximum bore size = 150 mm	760
QUBORE	bore and key quadrant to customers dimensions	77
QUSTOP	surcharge for additional rudder stop blocks	123
QUAUTO	surcharge for additional autopilot arm connected to quadrant	123
80 degree quadrants		
QU1580	80 degree quadrant R=150, maximum bore size = 75 mm	218
QU2080	80 degree quadrant R=200, maximum bore size = 75 mm	251
QU2580	80 degree quadrant R=250, maximum bore size = 100 mm	309
QU3080	80 degree quadrant R=300, maximum bore size = 100 mm	410

Part No.	Description	Price in Euro
QU3580	80 degree quadrant R=350, maximum bore size = 100 mm	479
QU4080	80 degree quadrant R=400, maximum bore size = 125 mm	545
QU4580	80 degree quadrant R=450, maximum bore size = 125 mm	708
QU5080	80 degree quadrant R=500, maximum bore size = 125 mm	847
QUBORE	bore and key quadrant to customers dimensions	77
QUSTOP	surcharge for additional rudder stop blocks	123
QUAUTO	surcharge for additional autopilot arm connected to quadrant	123

RACK AND PINION STEERING

RP100 rack and pinion steering pedestals

RP100-63	RP100 rack and pinion pedestal incl. guardrail, binnacle, 630 mm high	1.803
RP100-71	RP100 rack and pinion pedestal incl. guardrail, binnacle, 710 mm high	1.803
RP100-80	RP100 rack and pinion pedestal incl. guardrail, binnacle, 800 mm high	1.803

RP150 rack and pinion steering pedestals

RP150-63	RP150 rack and pinion pedestal incl. guardrail, binnacle, 630 mm high	1.803
RP150-71	RP150 rack and pinion pedestal incl. guardrail, binnacle, 710 mm high	1.803
RP150-80	RP150 rack and pinion pedestal incl. guardrail, binnacle, 800 mm high	1.803
HD150-3	Surcharge for 150 type HD3 large pedestal head	226

RP200 rack and pinion steering pedestals

RP200-63	RP200 rack and pinion steering pedestal 630 mm high	2.061
RP200-71	RP200 rack and pinion steering pedestal 710 mm high	2.061
RP200-80	RP200 rack and pinion steering pedestal 800 mm high	2.061

RP300 rack and pinion steering pedestals

RP300-63	RP300 rack and pinion steering pedestal 630 mm high	2.061
RP300-71	RP300 rack and pinion steering pedestal 710 mm high	2.061
RP300-80	RP300 rack and pinion steering pedestal 800 mm high	2.061

RP400 rack and pinion steering pedestals

RP400-63	RP400 rack and pinion steering pedestal 630 mm high	2.190
RP400-71	RP400 rack and pinion steering pedestal 710 mm high	2.190
RP400-80	RP400 rack and pinion steering pedestal 800 mm high	2.190

Rack and pinion steering options

RPSTOP	RP stopring	123
RP100ET	RP100 extension tube incl. lever and 50 mm flange bearing	660
RP200ET	RP200 extension tube incl. lever and 50 mm flange bearing	660
RP300ET	RP300 extension tube incl. lever and 50 mm flange bearing	660
RP400ET	RP400 extension tube incl. lever and 50 mm flange bearing	660
RP100OL	RP extra output lever (twin rudder boats)	109

100 series draglinks and accessories

DL2030	100 series draglink, 200 to 300 mm centres, Ø25 mm tube	212
DL2030-30	100 series draglink, 200 to 300 mm centres, Ø30 mm tube	225
DL3040	100 series draglink, 300 to 400 mm centres, Ø25 mm tube	212
DL3040-30	100 series draglink, 300 to 400 mm centres, Ø30 mm tube	225
DL4050	100 series draglink, 400 to 500 mm centres, Ø25 mm tube	212
DL4050-30	100 series draglink, 400 to 500 mm centres, Ø30 mm tube	225
DL5060	100 series draglink, 500 to 600 mm centres, Ø25 mm tube	212
DL5060-30	100 series draglink, 500 to 600 mm centres, Ø30 mm tube	225
DL6070	100 series draglink, 600 to 700 mm centres, Ø30 mm tube	225
DL7080	100 series draglink, 700 to 800 mm centres, Ø30 mm tube	225
DL8090	100 series draglink, 800 to 900 mm centres, Ø30 mm tube	225
DL90100	100 series draglink, 900 to 1000 mm centres, Ø30 mm tube	225
DL100110	100 series draglink, 1000 to 1100 mm centres, Ø30 mm tube	246
DL110120	100 series draglink, 1100 to 1200 mm centres, Ø30 mm tube	246
DL120130	100 series draglink, 1200 to 1300 mm centres, Ø30 mm tube	246
DL130140	100 series draglink, 1300 to 1400 mm centres, Ø30 mm tube	246
DL140150	100 series draglink, 1400 to 1500 mm centres, Ø30 mm tube	246
DL150160	100 series draglink, 1500 to 1600 mm centres, Ø30 mm tube	264
DL160170	100 series draglink, 1600 to 1700 mm centres, Ø30 mm tube	264
DL170180	100 series draglink, 1700 to 1800 mm centres, Ø30 mm tube	264
DL180190	100 series draglink, 1800 to 1900 mm centres, Ø30 mm tube	264
DL190200	100 series draglink, 1900 to 2000 mm centres, Ø30 mm tube	264

Part No.	Description	Price in Euro
DL.....	See separate draglink pricelist for different lengths and tube diameters	
DLB16	Ball for 100 series draglink with 16 mm hole	11
DLB22	Ball for 100 series draglink with 22 mm hole	15
DLB58	Ball for 100 series draglink with 5/8" mm hole	11
Tiller levers		
TLL035	Tiller lever L=273 mm, incl. fixed bore 35 mm "light duty"	141
TLL040	Tiller lever L=273 mm, incl. fixed bore 40 mm "light duty"	141
TLL050	Tiller lever L=273 mm, incl. fixed bore 50 mm "light duty"	141
TLJ050	Tiller lever L=273 mm, max. bore 50 mm	165
TLJ075	Tiller lever L=273 mm, max. bore 75 mm	207
TLJ100	Tiller lever L=273 mm, max. bore 100 mm	246
TLJ125	Tiller lever L=273 mm, max. bore 125 mm	309
TLH125	Heavy duty tiller lever L=335 mm, max. bore 125 mm	392
TLH200	Heavy duty tiller lever L=335 mm, max. bore 200 mm	502
TLJBORE	Bore and key tiller lever	72
TLJPIN16	16 mm tiller lever pin	12
TLJPIN22	22 mm tiller lever pin	24
TLJPIN58	5/8" mm tiller lever pin for other steering systems	12
TLJPIN-D	TLJPIN set for twin mount draglink	56
TLAUTO	surcharge for additional autopilot arm connected to tiller cap	123
TLJTWIST	surcharge for twisted tiller tail	38
TRANSMISSION STEERING		
TS100 transmission steering pedestals		
TS100-63	TS100 transmission pedestal, guardrail, binnacle, 630 mm high	1.611
TS100-71	TS100 transmission pedestal, guardrail, binnacle, 710 mm high	1.611
TS100-80	TS100 transmission pedestal, guardrail, binnacle, 800 mm high	1.611
TS150 transmission steering pedestals		
TS150-63	TS150 transmission pedestal, guardrail, binnacle, 630 mm high	1.611
TS150-71	TS150 transmission pedestal, guardrail, binnacle, 710 mm high	1.611
TS150-80	TS150 transmission pedestal, guardrail, binnacle, 800 mm high	1.611
HD150-3	Surcharge for 150 type HD3 large pedestal head	226
TS200 transmission steering pedestals		
TS200-63	TS200 transmission pedestal, 630 mm high	1.995
TS200-71	TS200 transmission pedestal, 710 mm high	1.995
TS200-80	TS200 transmission pedestal, 800 mm high	1.995
TS300 transmission steering pedestals		
TS300-63	TS300 transmission pedestal, 630 mm high	1.995
TS300-71	TS300 transmission pedestal, 710 mm high	1.995
TS300-80	TS300 transmission pedestal, 800 mm high	1.995
TS400 transmission steering pedestals		
TS400-63	TS400 transmission pedestal, 630 mm high	2.125
TS400-71	TS400 transmission pedestal, 710 mm high	2.125
TS400-80	TS400 transmission pedestal, 800 mm high	2.125
TS900 transmission swinging steering pedestal		
TS900	TS900 transmission swinging pedestal	2.704
WS-DIS	Disengagement unit integrated in steerer/pedestal	311
10 series transmission steering parts		
BG10	10 series 2-way bevel gearbox	581
BG11	10 series 3-way bevel gearbox	620
BG11-AP	10 series 3-way bevel gearbox with autopilot drive connection	641
BG12	10 series 2-way bevel gearbox with steering shaft and brake	675
BG12QM	10 series 2-way bevel steering gearbox "quick mount"	803
BG13	10 series 2-way reduction bevel gearbox 1.2:1	695
BG14	10 series 3-way reduction bevel gearbox 1.2:1	734
BG14-AP	10 series 3-way reduction bevel gearbox 1.2:1 + autopilot connection	759
BG15	10 series 2-way reduction bevel gearbox 1.2:1 with steering shaft	793
BG15QM	10 series 2-way red. bevel steering gearbox "quick mount" 1.2:1	921
BG16	10 series 4-way reduction bevel gearbox 1.2:1	1.102

Part No.	Description	Price in Euro
BG16-AP	10 series 4-way reduction bevel gearbox 1.2:1 + autopilot connection	1.127
BG-REV	surcharge for reverse rotation modification on all bevel boxes	135
RG10-32	Reduction gearbox 1:3.2 including output lever	1.020
RG10-50	Reduction gearbox 1:5 including output lever	1.020
RG10-70	Reduction gearbox 1:7 including output lever	1.353
RG10-100	Reduction gearbox 1:10 including output lever	2.718
RG10-130	Reduction gearbox 1:13 including output lever	2.990
RG10-DB	Shaft and bracket for autopilot for RG10 gearbox	218
RG10-STP	Stop for RG10 gearbox	207
RG10-ADAP	RG10 pedestal to gearbox connection adapter	297
BRG10-50	Bevel reduction gearbox 1:5 including output lever	1.041
BRG10-67	Bevel reduction gearbox 1:6.7 including output lever	1.320
UJ10	10 series universal joint	154
UJ11	10 series universal joint for flange bearing connection	168
TT10-050	10 series torque tube 500 mm long, incl. 2 mounting clamps	165
TT10-100	10 series torque tube 1000 mm long, incl. 2 mounting clamps	178
TT10-150	10 series torque tube 1500 mm long, incl. 2 mounting clamps	199
TT10-200	10 series torque tube 2000 mm long, incl. 2 mounting clamps	212
TT10-250	10 series torque tube 2500 mm long, incl. 2 mounting clamps	230
TT10-300	10 series torque tube 3000 mm long, incl. 2 mounting clamps	256
TT10-350	10 series torque tube 3500 mm long, incl. 2 mounting clamps	280
FB10	10 series flange bearing Ø 45 mm	161
FB10-BR	bracket for 10 series pedestal bearing FB10	96

Hydraulic pedestals

H200-71-36	Pedestal H200, 36cc pump, height 710mm	2.962
H200-71-60	Pedestal H200, 60cc pump, height 710mm	3.156
H200-71-90	Pedestal H200, 90cc pump, height 710mm	3.477
H200-80-36	Pedestal H200, 36cc pump, height 800mm	2.962
H200-80-60	Pedestal H200, 60cc pump, height 800mm	3.156
H200-80-90	Pedestal H200, 90cc pump, height 800mm	3.477
H300-71-36	Pedestal H300, 36cc pump, height 710mm	2.962
H300-71-60	Pedestal H300, 60cc pump, height 710mm	3.156
H300-71-90	Pedestal H300, 90cc pump, height 710mm	3.477
H300-80-36	Pedestal H300, 36cc pump, height 800mm	2.962
H300-80-60	Pedestal H300, 60cc pump, height 800mm	3.156
H300-80-90	Pedestal H300, 90cc pump, height 800mm	3.477
H400-71-36	Pedestal H400, 36cc pump, height 710mm	3.092
H400-71-60	Pedestal H400, 60cc pump, height 710mm	3.283
H400-71-90	Pedestal H400, 90cc pump, height 710mm	3.603
H400-80-36	Pedestal H400, 36cc pump, height 800mm	3.092
H400-80-60	Pedestal H400, 60cc pump, height 800mm	3.283
H400-80-90	Pedestal H400, 90cc pump, height 800mm	3.603

ACCESSORIES

Pedestal bolts

ST10080	Pedestal bolt set M10 x 80 mm	19
ST10120	Pedestal bolt set M10 x 120 mm	24

TFX engine control mechanism

EC100	Engine control for the 100 series pedestal incl. handle and housing	522
EC150	Engine control for the 150 series pedestal incl. handle	318
EC200	Engine control for the 200 series pedestal including handle	318
EC300	Engine control for the 300 series pedestal including handle	318
EC400	Engine control for the 400 series pedestal including handle	318

Plastimo Compasses

COM-OLYM	Plastimo Olympic 135 compass with black housing and black card	288
COM-HORIZ	Plastimo Horizon 135 compass with black housing and black card	316
COM-CONT	Plastimo Contest 101 compass with black housing and black card (Only for type 400 pedestal)	217

Cockpit tables, table mounting kits and glass holders

CT100	Cockpit table for type 100 pedestal, incl. mounting kit	729
CT100FIT	Cockpit table mounting kit for type 100 pedestal	258
CT150	Cockpit table for type 150 pedestal, incl. mounting kit	712

Part No.	Description	Price in Euro
CT150FIT	Cockpit table mounting kit for type 150 pedestal	248
CT300	Cockpit table for type 200 & 300 & 400 pedestal, incl. mounting kit	708
CT300FIT	Cockpit table mounting kit for type 200 & 300 & 400 pedestal	238
GH300	Glass holder for type 300 & 400 pedestal	179

Instrument housings

INST-DUO	Duo instrument housing 310 x 149 x 89 (EP2)	276
INST-TRIO	Trio instrument housing 380 x 150 x 95 (EP3)	276
INST-QUAD	Quad instrument housing 490 x 145 x 101 (EP4)	333
INST-RAD	Radar instrument housing 392 x 220 x 152,5 (EP5)	333
INST-EP6	Radar instrument housing 448 x 235 x 160 (EP6)	439
INST-EP7	Radar instrument housing 520 x 288 x 162 (EP7)	439
INST-EP8	Radar instrument housing 370 x 275 x 186 (EP8)	439
INST-EP9	Radar instrument housing 305 x 245 x 167 (EP9)	439
GUA-EXT	Surcharge extended guardrail for all new pedestals	50
GUA300E	Retrofit extended guardrail for 300 & 400 series pedestal	212
HD150-3R	Retrofit 150 type HD3 large pedestal head	296

AUTOPILOT DRIVE UNITS

DU-LD-12	Linear drive 100 KgM - 400 Kg thrust, 12 volts	1.643
DU-LD-12/GA	Linear drive 100 KgM, incl. Garmin rudder feedback and cables	1.772
DU-LD-RFB1	LD integrated rudder feedback for Garmin and NKE autopilots (10 kΩ)	76
DU-LD-RFB2	LD integrated rudder feedback for Raymarine autopilots (5 kΩ)	76
DU-LD-RFB3	LD integrated rudder feedback for B&G (NAC-2) autopilots (5 kΩ)	76
DU-TS8-12	Transmission autopilot drive unit 200 Nm 12 volts - 8 rev/min	1.805
DU-TS6-12	Transmission autopilot drive unit 200 Nm 12 volts - 6 rev/min	1.805
DU-TS4-12	Transmission autopilot drive unit 200 Nm 12 volts - 3.5 rev/min	1.805
DU-TS8-24	Transmission autopilot drive unit 300 Nm 24 volts - 8 rev/min	2.562
DU-TS6-24	Transmission autopilot drive unit 300 Nm 24 volts - 6.5 rev/min	2.562
DU-TS4-24	Transmission autopilot drive unit 300 Nm 24 volts - 4 rev/min	2.562
DU-TS-RFB1	TS integrated rudder feedback for Garmin and NKE autopilots (10 kΩ)*2	180
DU-TS-RFB2	TS integrated rudder feedback for Raymarine autopilots (5 kΩ)*2	180
DU-TS-RFB3	TS integrated rudder feedback for B&G (NAC-2) autopilots (5 kΩ)*2	180
DU-TS-LEW	Adapter for Lewmar autopilot flange	130
DU-DD1-12	Direct drive 150 KgM type 1 12 volts	2.055
DU-DD1-12/GA	Direct drive 150 KgM, incl. Garmin rudder feedback and cables	2.288
DU-DD1-RFB1	DD1 integrated rudder feedback for Garmin and NKE autopilots (10 kΩ)	178
DU-DD1-RFB2	DD1 integrated rudder feedback for Raymarine autopilots (5 kΩ)	178
DU-DD1-RFB3	DD1 integrated rudder feedback for B&G (NAC-2) autopilots (5 kΩ)	178
DU-DD1-FB	Rudder feedback mounting bracket for DD1	82
DU-DD2-12	Direct drive 375 KgM type 2 12 volts	2.768
DU-DD2-12/GA	Direct drive 375 KgM type 2 12 volts, incl. Garmin rudder feedback and cables	2.999
DU-DD2-24	Direct drive 375 KgM type 2 24 volts	3.525
DU-DD2-24/GA	Direct drive 375 KgM type 2 24 volts, incl. Garmin rudder feedback and cables	3.759
DU-DD3-12	Direct drive 525 KgM type 3 12 volts	3.100
DU-DD3-12/GA	Direct drive 525 KgM type 3 12 volts, incl. Garmin rudder feedback and cables	3.333
DU-DD3-24	Direct drive 525 KgM type 3 24 volts	3.859
DU-DD3-24/GA	Direct drive 525 KgM type 3 24 volts, incl. Garmin rudder feedback and cables	4.093
DU-DD4-24	Direct drive 735 KgM type 4 24 volts	5.093
DU-WS200-12	Sprocket autopilot drive unit 200 Nm 12 volts	2.010
DU-WS300-24	Sprocket autopilot drive unit 300 Nm 24 volts	2.769
DU-WS-RFB1	WS integrated rudder feedback for Garmin and NKE autopilots (10 kΩ)*2	180
DU-WS-RFB2	WS integrated rudder feedback for Raymarine autopilots (5 kΩ)*2	180
DU-WS-RFB3	WS integrated rudder feedback for B&G (NAC-2) autopilots (5 kΩ)*2	180
DU-WS-BR	Bracket for sprocket drive	136
-	Various stainless "plate" sprockets to be welded on shaft 11T - 26T	15 - 50
-	Various stainless "hub" sprockets bored and keyed to suit shaft 11T - 26T	115 - 155
DU-CAB-G	Garmin cables and plugs mounted to drive units	54
DU-ECL1-12	Electric clutch for type 100 transmission systems 12 volts	3.540
DU-ECL1-24	Electric clutch for type 100 transmission systems 24 volts	3.540
DU-ECL2-24	Electric clutch for type 200 transmission systems 24 volts	3.540

*2 only possible when max. number of rotations of drive unit < 2,5 turns

Jefa Steering ApS
Agenavej 43
2670 GREVE
Denmark
Tel: +45-46155210
Email: sales@jefa.com



All above mentioned prices are in Euro, excluding VAT, ex works and are subject to change.